Author Index of Volume 151

Abdul Rashid, K. K., 1
Abu-El-Wafa, S. M., 197
Abu-Soud, H., 77

Baez, A., 209
Balman, J. A., 169
Bamgboye, T. T., 291
Bauminger, E. R., 277
Beaird, C. E., 149
Benderly, A., 255
Berthon, G., 33
Bhakta, S. B., 149
Bianchi, A., 269
Bitha, P., 89
Blauer, G., 277
Butler, A. R., 281

Cadiz, M. E., 209
Caldirola, C., 19
Calsy-Harrison, A. M., 281
Cammack, R., 265
Chacko, J., 1
Chandra, L., 61
Chapman, A., 265
Child, R. G., 89
Christie, G. L., 169, 215
Cini, R., 153
Corwin, D. T., Jr., 5

Dawson, J. H., 173
Doran, S. L., 87, 249
Duffield, J. R., 169

Ejenavi, A. B., 21
El-Ries, M. A., 197

Fitch, J. W., 255
Formicka-Kozłowska, G., 183
Friebel, C., 139
Fujita, H., 15
Fukushima, K., 15

Giorgi, G., 153
Glidewell, C., 281
Gruff, E. S., 5
Günther, B., 237
Gupta, M. P., 61

Hadjiliadis, N., 165
Haltiwanger, R. C., 89
Hatano, M., 49
Hlavka, J. J., 89
Houlton, A., 77
Hughes, M. A., 215
Hyun, R. Y., 149

Ishizu, K., 45
Issa, R. M., 197

Jackson, G. E., 273
Jacobs, D. B., 227
Jha, N. K., 61
Johansen, E. S., 129
Johnson, I. L., 281
Jørns, O., 129

Kalatzis, G., 191
Kassner, R. D., 107
Katakis, D., 191
Khan, N. H., 95
Khokhar, A. R., 87, 249
Kikuchi, T., 45
Kim, I., 149
Kinoshita, I., 55
Koch, S. A., 5
Kolawole, D. O., 21
Konstantatos, J., 191
Kontoghiorghes, G. J., 101
Kozłowski, H., 117
Krätsmár-Šmogrovič, J., 139
Kumar, A., 201
Kureshy, R. L., 95

Labuda, J., 133, 261
Lambs, L., 33
Lang, S. A., Jr., 89
Lee, S. C., 149
Lerch, K., 11
Lin, Y.-i., 89
Lough, S. M., 227
Lumetta, G. J., 87, 249

McDonald, J. W., 227
McKee, V., 233
Markopoulos, J., 125, 243
Matsumoto, K., 9
May, L., 277
Micheloni, M., 269
Miyoshi, K., 45
Mlynarčík, D., 139
Mohan, G., 201
Mohan, M., 61
Muir, M. M., 209
Münger, K., 11
Murato, S., 45

Nakahara, A., 55
Nakao, Y., 55
Nambisan, P. N. K., 1
Nardo, J. V., 173
Newman, R. A., 249
Nishida, Y., 177

Obafemi, C. A., 21
O'Connor, C. J., 107
Oloke, J. K., 21
Onoda, M., 55
Ooi, S.-I., 55
Owens, J. W., 107

Paoletti, P., 269
Parashar, R. K., 201
Parker, S. F., 227
Pasini, A., 19
Paulson, D. R., 149
Pavlishchuk, V. V., 133, 261
Pierpont, C. G., 89
Plesch, G., 139
Pneumatikatis, G., 125, 243

Rees, S. B., 215
Reglinski, J., 281
Richter, A., 145
Rodley, G. A., 233

Sadeque, A. J. Md., 49
Sakai, N., 85
Sakurai, H., 85
Sakurai, T., 55
Schallreuter, K. U., 7
Schechinger, T., 265
Sharma, R. C., 201
Sheldrick, W. S., 237
Shimizu, T., 49
Siddiqi, K. S., 95
Silver, J., 69, 77
Singh, H. B., 287
Singh, K., 179
Singh, R. V., 179
Smith, W. E., 281
Sono, M., 173
Sóvágó, I., 117
Stavchansky, S., 255
Strizhak, P. E., 133

© Elsevier Sequoia/Printed in Switzerland

Šturdík, E., 261
Švajlenová, O., 139

Tabassum, S., 95
Taies, J. A., 69
Taira, Z.-E., 85
Takita, T., 45
Tandon, J. P., 179
Tyagi, S. C., 29

Várnagy, K., 117
Varvounis, G., 165
Vrachnou, E., 191

Wasi, N., 287
Watt, G. D., 227
Weser, U., 145, 265
Williams, D. R., 169, 215
Wood, J. M., 7

Yakovidis, I., 165
Yamase, T., 15
Yannopoulos, A., 125, 243
Yatsimirskii, K. B., 133
Ybarra, J., Jr., 149
Yuen, M., 149

Zaidi, S. A. A., 95
Zeppezauer, M., 183

Subject Index of Volume 151

Aluminium complexes
  formation of Al and Zn complexes with picolinic acid; potentiometric investigation, 129
Aluminium compounds
  existence of AlF_4^- in aqueous solution and its relevance to phosphorylase reactions, 273
Amine complexes
  convenient method for preparation of antitumor carboxylato(1,2-diaminocyclohexane)Pt(II) complexes, 87
  new synthetic method for diaminomalonato-platinum type complexes and unexpected behaviour of [$PtCl_2$(*trans*-dach)], 19
  structural characterization on two (diamine)(1,1-cyclobutanedicarboxylato)Pt(II) anticancer drugs, 89
  synthesis, characterization and antitumor activity of series of N-substituted iminodiaceto-(diammine)Pt(II) complexes, 249
  synthesis, stereochemistry and inhibition of tumor cell transplantability by Fe and Cu complexes of 2-aminomethyl- and 2-(2′-aminoethyl)-pyridine, 291
Amino acid complexes
  transition metal complexes of amino acids and derivatives containing disulphide bridges, 117
Aminoglycoside complexes
  formation of Cu(II)–amikacin complex and its biological activity and uses; indirect estimation of amikacin by atomic absorption spectroscopy (AAS), 197
Anticonvulsant activity
  potentiometric study of Zn(II)– and Pb(II)–valproate systems, 169
Antifungal activity
  coordination behaviour of biologically active benzothiazolines towards Si(IV), 179
Antimicrobial activity
  EPR, ligand field spectra and antimicrobial activity of some *N*-pyruvideneglycinatocopper(II) complexes, 139
Antitumor activity
  convenient method for preparation of antitumor carboxylato(1,2-diaminocyclohexane)Pt(II) complexes, 87
  potent antitumor activity of polyoxomolybdates on animal transplantable tumors and human cancer xenograft, 15
  of Pt blues containing α-pyrrolidone, 3,3-dimethylglutarimide, orotic acid, succinamic acid and oxamic acid, 9
  redox potential of active bleomycin–Fe(III) complex by cyclic voltammetry, 45
  structural characterization on two (diamine)(1,1-cyclobutanedicarboxylato)Pt(II) anticancer drugs, 89
  synthesis, characterization
    and antitumor activity of series of N-substituted iminodiaceto(diammine)Pt(II) complexes, 249
    and antitumour properties of some metal(II) complexes of 2-pyridinecarboxaldehyde 2′-pyridylhydrazone and related compounds, 61
  synthesis, stereochemistry and inhibition of tumor cell transplantability by Fe and Cu complexes of 2-aminomethyl- and 2-(2′-aminoethyl)pyridine, 291
ATP complexes
  supramolecular interaction between adenosine 5′-triphosphate (ATP) and polycharged tetraaza-macrocycles; thermodynamic and ^{31}P NMR studies, 269

Bacteriostatic activity
  in vitro evaluation of bacteriostatic activity of metal complexes of amodiaquine and primaquine, 287
Bacterium complexes
  facile method of isolation for Fe Mo cofactor of nitrogenase and bacterial ferritin from extracts of *Azotobacter vinelandii*, 227
Blood cells
  structure/red blood cell permeability; activity of Fe(III) chelator complexes, 101
Blue complexes
  antitumor activities of Pt blues containing α-pyrrolidone, 3,3-dimethylglutarimide, orotic acid, succinamic acid and oxamic acid, 9
Bidentate ligand complexes
  convenient method for preparation of antitumor carboxylato(1,2-diaminocyclohexane)Pt(II) complexes, 87
  coordination behaviour of biologically active benzothiazolines towards Si(IV), 179
  preparation of Pt(II) complexes with β-carbolines and tetrahydro-β-carbolines as ligands, 255
  structural characterization on two (diamine)(1,1-cyclobutanedicarboxylato)Pt(II) anticancer drugs, 89
  structure/red blood cell permeability; activity of Fe(III) chelator complexes, 101

© Elsevier Sequoia/Printed in Switzerland

synthesis, characterization and antitumor activity of series of N-substituted iminodiaceto(diammine)Pt(II) complexes, 249

Biological activity
complexes of embelin with Cr(III) and Fe(III), 1
coordination behaviour of biologically active benzothiazolines towards Si(IV), 179
Cu(II) complexes of thieno[2,3-*d*]pyrimidine derivatives, 165
existence of AlF_4^- in aqueous solution and its relevance to phosphorylase reactions, 273
formation of Cu(II)–amikacin complex and its biological activity and uses; indirect estimation of amikacin by atomic absorption spectroscopy (AAS), 197
quantitative investigation of methacycline complexes with Ca(II), Mg(II), Cu(II) and Zn(II) ions and assessment of their biological significance, 33
new synthetic method for diaminomalonatoplatinum type complexes and unexpected behaviour of [$PdCl_2$(*trans*-dach)], 19
stability studies in relation to IR data of some Schiff base complexes of transition metals and their biological and pharmacological studies, 201

Biosynthesis
reduced thioredoxin inhibits melanin biosynthesis; evidence for formation of stable bis-cysteinate complex with tyrosinase, 7

Captopril complexes
binding of metal ions by Captopril (SQ 14225); complexation of Cu(II), 215

Carbonyl complexes
interactions of bis-[μ-chloro-chlorotricarbonylruthenium(II)] and poly-[μ-dichloro-dicarbonylruthenium(II)] with nucleosides, 243
preparation and structural characterisation of dicarbonylrhodium(I) complexes of 8-azaguanine and allopurinol derivatives, 237
reaction of Ru(II) octaethylporphyrin and Ru(II) tetraethylporphyrin complexes with carbon monoxide, 149

Chelate complexes
convenient method for preparation of antitumor carboxylato(1,2-diaminocyclohexane)Pt(II) complexes, 87
coordination behaviour of biologically active benzothiazolines towards Si(IV), 179
preparation of Pt(II) complexes with β-carbolines and tetrahydro-β-carbolines as ligands, 255
structural characterization on two (diamine)(1,1-cyclobutanedicarboxylato)Pt(II) anticancer drugs, 89
structure/red blood cell permeability; activity of Fe(III) chelator complexes, 101
synthesis, characterization and antitumor activity of series of N-substituted iminodiaceto(diammine)Pt(II) complexes, 249
synthesis, spectroscopic and redox behaviour of some Cu(II) and Cu(I) biomimetic complexes, 133

Chromium complexes
complexes of embelin with Cr(III) and Fe(III), 1

Cobalt compounds
horse liver alcohol dehydrogenase derivatives containing Ni(II) and Co(II) in noncatalytic metal binding site, 183

Copper complexes
binding of metal ions by Captopril (SQ 14225); complexation of Cu(II), 215
biomimetic oxidation of glutathione by synthetic analogues of active centres of 'blue' Cu proteins, 261
Cu(II) complexes of thieno[2,3-*d*]pyrimidine derivatives, 165
Cu(II) complexes with tripodal imidazole-containing ligands; structure–electrochemistry relationship, 55
crystal structure of new form of Cu(II)–inosine 5′-monophosphate–2,2′-dipyridylamine ternary complex, 153
EPR, ligand field spectra and antimicrobial activity of some *N*-pyruvideneglycinatocopper(II) complexes, 139
formation of Cu(II)–amikacin complex and its biological activity and uses; indirect estimation of amikacin by atomic absorption spectroscopy (AAS), 197
kinetics of H_2O_2 dependent cleavage of Cu–thiolate centres in yeast Cu_8–thionein, 145
reduced thioredoxin inhibits melanin biosynthesis; evidence for formation of stable bis-cysteinate complex with tyrosinase, 7
sequential reconstitution of Cu sites in caeruloplasmin, 265
synthesis, spectroscopic and redox behaviour of some Cu(II) and Cu(I) biomimetic complexes, 133
synthesis, stereochemistry and inhibition of tumor cell transplantability by Fe and Cu complexes of 2-aminomethyl- and 2-(2′-aminoethyl)-pyridine, 291

Crystal structure(s)
of dicarbonylrhodium(I) complexes of 8-azaguanine and allopurinol derivatives, 237
of L-cysteine methyl ester–vanadyl(IV) complex, 85
of Mg tetraphenylporphyrin complexes involving water and methanol coordination, 233
of new form of Cu(II)–inosine 5′-monophosphate–2,2′-dipyridylamine ternary complex, 153

of two (diamine)(1,1-cyclobutanedicarboxylato)-Pt(II) anticancer drugs, 89
Zn, Co and Cd thiolate complexes; models for $Zn(S\text{-}cys)_3(his)$ center in gene 32 protein, 5
Cyanide compounds
oxidation of glutathione by nitroprusside; changes in glutathione in intact erythrocytes during incubation with Na nitroprusside as detected by ^1H spin echo NMR spectroscopy, 281
Cyclopentadienyl complexes
interactions of dichloro-bis(η^5-cyclopentadienyl)-Ti(IV) with nucleosides, 125
Cysteine complexes
reduced thioredoxin inhibits melanin biosynthesis; evidence for formation of stable bis-cysteinate complex with tyrosinase, 7
Cytochrome $P\text{-}450_{scc}$
interaction of fluoroaniline with cytochrome $P\text{-}450_{scc}$ and myoglobin; temperature and pH dependence studies, 49
Cytotoxic activity
synthesis and characterization of new Pt(II) complexes containing thiazole and imidazole donors, 209

Dinuclear complexes
transition metal complexes of amino acids and derivatives containing disulphide bridges, 117
Disulfide complexes
mechanistic study of reduction of cystine by V(II) in pH range from 7.5 to 12, 191
transition metal complexes of amino acids and derivatives containing disulphide bridges, 117

Electrochemistry
Cu(II) complexes with tripodal imidazole-containing ligands; structure–electrochemistry relationship, 55
formation of Al and Zn complexes with picolinic acid; potentiometric investigation, 129
potentiometric study of Zn(II)– and Pb(II)–valproate systems, 169
redox potential of active bleomycin–Fe(III) complex by cyclic voltammetry, 45
synthesis, spectroscopic and redox behaviour of some Cu(II) and Cu(I) biomimetic complexes, 133
Embelin complexes
complexes of embelin with Cr(III) and Fe(III), 1
Enzyme compounds
horse liver alcohol dehydrogenase derivatives containing Ni(II) and Co(II) in noncatalytic metal binding site, 183
Erythrocyte compounds
oxidation of glutathione by nitroprusside; changes in glutathione in intact erythrocytes during incubation with Na nitroprusside as detected by ^1H spin echo NMR spectroscopy, 281

Fluoride compounds
existence of AlF_4^- in aqueous solution and its relevance to phosphorylase reactions, 273

Haemoglobin compounds
oxidation of glutathione by nitroprusside; changes in glutathione in intact erythrocytes during incubation with Na nitroprusside as detected by ^1H spin echo NMR spectroscopy, 281
Hemoprotein
interaction of fluoroaniline with cytochrome $P\text{-}450_{scc}$ and myoglobin; temperature and pH dependence studies, 49
Heteroaromatic amine complexes
in vitro evaluation of bacteriostatic activity of metal complexes of amodiaquine and primaquine, 287
Heterocyclic ligand complexes
synthesis and properties of some organotin(IV)–O and –N heterocycles, 21
Hydrazone complexes
synthesis, characterization and antitumour properties of some metal(II) complexes of 2-pyridinecarboxyaldehyde 2′-pyridylhydrazone and related compounds, 61

Imidazole complexes
synthesis and characterization of new Pt(II) complexes containing thiazole and imidazole donors, 209
Iron complexes
characterization of some low spin complexes of ferric hemeoctapeptide from cytochrome-*c*, 107
complexes of embelin with Cr(III) and Fe(III), 1
facile method of isolation for Fe Mo cofactor of nitrogenase and bacterial ferritin from extracts of *Azotobacter vinelandii*, 227
ligand binding and autoxidation of tetra sulphonated phthalocyanine Fe(II)—apomyoglobin complex, 29
Mössbauer spectroscopic studies on tetra-(sulphonaphthyl)porphine Fe(II) solutions, 69
Mössbauer studies of ferriheme—quinidine complexes, 277
redox potential of active bleomycin–Fe(III) complex by cyclic voltammetry, 45
solution studies on tetra(*p*-carboxyphenyl)-porphyrin Fe(II) using Mössbauer spectroscopy and electronic absorption spectroscopies, 77
structure/red blood cell permeability; activity of Fe(III) chelator complexes, 101
synthesis, stereochemistry and inhibition of tumor cell transplantability by Fe and Cu complexes of 2-aminomethyl- and 2-(2′aminoethyl)-pyridine, 291
Iron compounds
oxidation of glutathione by nitroprusside; changes in glutathione in intact erythrocytes during

incubation with Na nitroprusside as detected by ^1H spin echo NMR spectroscopy, 281
Isoprotein
peptide mapping of vertebrate and invertebrate metallothioneins, 11

Kinetics and mechanism
biomimetic oxidation of glutathione by synthetic analogues of active centres of 'blue' Cu proteins, 261
kinetics of H_2O_2 dependent cleavage of Cu–thiolate centres in yeast Cu_8–thionein, 145
ligand binding and autoxidation of tetra sulphonated phthalocyanine Fe(II)–apomyoglobin complex, 29
mechanistic study of reduction of cystine by V(II) in pH range from 7.5 to 12, 191

Lanthanide complexes
characterization and toxicity of lanthanide complexes with N- and S-containing Schiff bases, 95
Lead complexes
potentiometric study of Zn(II)- and Pb(II)-valproate systems, 169

Macrocyclic ligand complexes
supramolecular interaction between adenosine 5'-triphosphate (ATP) and polycharged tetraazamacrocycles; thermodynamic and ^{31}P NMR studies, 269
Magnesium complexes
crystal and molecular structures of Mg tetraphenylporphyrin complexes involving water and methanol coordination, 233
Manganese complexes
Mn(III) complex exhibiting multiline ESR signal, 177
Melanin
reduced thioredoxin inhibits melanin biosynthesis; evidence for formation of stable bis-cysteinate complex with tyrosinase, 7
Metal complexes
in vitro evaluation of bacteriostatic activity of metal complexes of amodiaquine and primaquine, 287
quantitative investigation of methacycline complexes with Ca(II), Mg(II), Cu(II) and Zn(II) ions and assessment of their biological significance, 33
stability studies in relation to IR data of some Schiff base complexes of transition metals and their biological and pharmacological studies, 201
synthesis, characterization and antitumour properties of some metal(II) complexes of 2-pyridinecarboxaldehyde 2'-pyridylhydrazone and related compounds, 61
transition metal complexes of amino acids and derivatives containing disulphide bridges, 117
Metalloprotein complexes
crystal structure of L-cysteine methyl ester–vanadyl(IV) complex, 85
facile method of isolation for Fe Mo cofactor of nitrogenase and bacterial ferritin from extracts of *Azotobacter vinelandii*, 227
kinetics of H_2O_2 dependent cleavage of Cu–thiolate centres in yeast Cu_8–thionein, 145
Zn, Co and Cd thiolate complexes; models for Zn(S-cys)$_3$(his) center in gene 32 protein, 5
Metallothionein
peptide mapping of vertebrate and invertebrate metallothioneins, 11
Molybdenum complexes
facile method of isolation for Fe Mo cofactor of nitrogenase and bacterial ferritin from extracts of *Azotobacter vinelandii*, 227
potent antitumor activity of polyoxomolybdates on animal transplantable tumors and human cancer xenograft, 15
Mössbauer spectroscopy
Mössbauer studies of ferriheme–quinidine complexes, 277
Myoglobin
interaction of fluoroaniline with cytochrome P-450$_{scc}$ and myoglobin; temperature and pH dependence studies, 49

Nickel compounds
horse liver alcohol dehydrogenase derivatives containing Ni(II) and Co(II) in noncatalytic metal binding site, 183
Nucleobase complexes
preparation and structural characterisation of dicarbonylrhodium(I) complexes of 8-azaguanine and allopurinol derivatives, 237
Nucleoside complexes
interactions of bis-[μ-chloro-chlorotricarbonylruthenium(II)] and poly-[μ-dichloro-dicarbonylruthenium(II)] with nucleosides, 243
interactions of dichloro-bis(η^5-cyclopentadienyl)-Ti(IV) with nucleosides, 125
Nucleotide complexes
crystal structure of new form of Cu(II)–inosine 5'-monophosphate–2,2'-dipyridylamine ternary complex, 153

Oxidase activity
sequential reconstitution of Cu sites in caeruloplasmin, 265
Oxidation
biomimetic oxidation of glutathione by synthetic analogues of active centres of 'blue' Cu proteins, 261
of glutathione by nitroprusside; changes in glutathione in intact erythrocytes during incubation

with Na nitroprusside as detected by ^1H spin echo NMR spectroscopy, 281
kinetics of H_2O_2 dependent cleavage of Cu–thiolate centres in yeast Cu_8–thionein, 145
Oxo complexes
potent antitumor activity of polyoxomolybdates on animal transplantable tumors and human cancer xenograft, 15

Peptide complexes
biomimetic oxidation of glutathione by synthetic analogues of active centres of 'blue' Cu proteins, 261
characterization of some low spin complexes of ferric hemeoctapeptide from cytochrome-*c*, 107
redox potential of active bleomycin–Fe(III) complex by cyclic voltammetry, 45
Peptides
peptide mapping of vertebrate and invertebrate metallothioneins, 11
Photosynthesis
Mn(III) complex exhibiting multiline ESR signal, 177
Phthalocyanine complexes
ligand binding and autoxidation of tetra sulphonated phthalocyanine Fe(III)–apomyoglobin complex, 29
Picolinic acid complexes
formation of Al and Zn complexes with picolinic acid; potentiometric investigation, 129
Platinum complexes
antitumor activities of Pt blues containing α-pyrrolidone, 3,3-dimethylglutarimide, orotic acid, succinamic acid and oxamic acid, 9
convenient method for preparation of antitumor carboxylato(1,2-diaminocyclohexane)Pt(II) complexes, 87
new synthetic method for diaminomalonato-platinum type complexes and unexpected behaviour of [$PtCl_2$(*trans*-dach)], 19
preparation of Pt(II) complexes with β-carbolines and tetrahydro-β-carbolines as ligands, 255
structural characterization on two (diamine)(1,1-cyclobutanedicarboxylato)Pt(II) anticancer drugs, 89
synthesis, characterization
and antitumor activity of series of N-substituted iminodiaceto(diammine)Pt(II) complexes, 249
of new Pt(II) complexes containing thiazole and imidazole donors, 209
Polyamine complexes
supramolecular interaction between adenosine 5′-triphosphate (ATP) and polycharged tetraaza-macrocycles; thermodynamics and ^{31}P NMR studies, 269
Polydentate ligand complexes
Cu(II) complexes with tripodal imidazole-containing ligands; structure–electrochemistry relationship, 55
Mn(III) complex exhibiting multiline ESR signal, 177
synthesis, spectroscopic and redox behaviour of some Cu(II) and Cu(I) biomimetic complexes, 133
Polyoxometalate complexes
potent antitumor activity of polyoxomolybdates on animal transplantable tumors and human cancer xenograft, 15
Porphyrin complexes
crystal and molecular structures of Mg tetraphenylporphyrin complexes involving water and methanol coordination, 233
Mössbauer spectroscopic studies on tetra-(sulphonaphthyl)porphine Fe(II) solutions, 69
Mössbauer studies of ferriheme–quinidine complexes, 277
reaction of Ru(II) octaethylporphyrin and Ru(II) tetraphenylporphyrin complexes with carbon monoxide, 149
solution studies on tetra(*p*-carboxyphenyl)-porphyrin Fe(II) using Mössbauer spectroscopy and electronic absorption spectroscopies, 77
Protein complexes
biomimetic oxidation of glutathione by synthetic analogues of active centres of 'blue' Cu proteins, 261
characterization of some low spin complexes of ferric hemeoctapeptide from cytochrome-*c*, 107
Protoporphyrin complexes
magnetic circular dichroism studies of thiolate complex of Zn protoporphyrin; non-Fe hyperporphyrin model for ferrous–CO cytochrome P-450, 173
Pyrimidine complexes
Cu(II) complexes of thieno[2,3-*d*]pyrimidine derivatives, 165

Redox reactions
synthesis, spectroscopic and redox behaviour of some Cu(II) and Cu(I) biomimetic complexes, 133
Rhodium complexes
preparation and structural characterisation of dicarbonylrhodium(I) complexes of 8-azaguanine and allopurinol derivatives, 237
Ruthenium complexes
interactions of bis-[μ-chloro-chlorotricarbonyl-ruthenium(II)] and poly-[μ-dichloro-dicarbonyl-ruthenium(II)] with nucleosides, 243
reaction of Ru(II) octaethylporphyrin and Ru(II) tetraphenylporphyrin complexes with carbon monoxide, 149

Schiff base complexes
characterization and toxicity of lanthanide complexes with N- and S-containing Schiff bases, 95
EPR, ligand field spectra and antimicrobial activity of some *N*-pyruvideneglycinatocopper(II) complexes, 139
stability studies in relation to IR data of some Schiff base complexes of transition metals and their biological and pharmacological studies, 201
Silicon complexes
coordination behaviour of biologically active benzothiazolines towards Si(IV), 179

Tetracycline complexes
quantitative investigation of methacycline complexes with Ca(II), Mg(II), Cu(II) and Zn(II) ions and assessment of their biological significance, 33
Thiazole complexes
synthesis and characterization of new Pt(II) complexes containing thiazole and imidazole donors, 209
Thiolate complexes
magnetic circular dichroism studies of thiolate complex of Zn protoporphyrin; non-Fe hyperporphyrin model for ferrous–CO cytochrome P-450, 173
Thiourea complexes
sequential reconstitution of Cu sites in caeruloplasmin, 265

Tin complexes
synthesis and properties of some organotin(IV)–O and –N heterocycles, 21
Titanium complexes
interactions of dichloro-bis(η^5-cyclopentadienyl)-Ti(IV) with nucleosides, 125
Toxicity
characterization and toxicity of lanthanide complexes with N- and S-containing Schiff bases, 95

Valproate complexes
potentiometric study of Zn(II)– and Pb(II)–valproate systems, 169
Vanadium complexes
mechanistic study of reduction of cystine by V(II) in pH range from 7.5 to 12, 191
Vanadyl complexes
crystal structure of L-cysteine methyl ester–vanadyl(IV) complex, 85

Zinc complexes
formation of Al and Zn complexes with picolinic acid; potentiometric investigation, 129
magnetic circular dichroism studies of thiolate complex of Zn protoporphyrin; non-Fe hyperporphyrin model for ferrous–CO cytochrome P-450, 173
potentiometric study of Zn(II)– and Pb(II)–valproate systems, 169
Zn, Co and Cd thiolate complexes; models for Zn(S-cys)$_3$(his) center in gene 32 protein, 5